

Roger Nelson
 Clay County Growers Plot
 Clay

Planted date: 5/13/2017
 Harvested date:
 Planting Rate: 36000
 Drainage:
 Tillage:
 Soil Texture:

(N)-(P)-(K): Fall VRT P,K 31-80-120
 Prev. Crop: soybeans
 Manure:
 Other: Spring UAN32 120#; Side Dress 50# UAN32
 Prev. Herb:
 Herbicide: Pre Warrant; Post Callisto
 Insecticide: yes 7/28
 Fungicide: StrategoYLD Tassel 7/28

Yield Evaluation
 30

\$ per acre = \$3.30 bushel; drying at .0375 cents per point 0

Entry Order	BRAND	HYBRID	TRAIT	RM	Seed Treatment	# OF ROWS	ROW LENGTH	MOIS	TWT	ENTRY WEIGHT	PLANT COUNT	% ROOTS LODGED	% STALKS LODGED	YIELD	\$/A	YIELD RANK	\$/A RANK	Comment	
1CK	BECKS CHECK	5140	Conv.	105		6	1110	19.8	57.7	4666.0		205.7	642						
2	WYFFLES	W2080	Conv.	97		6	1110	17.5	57.0	4708.0				213.5	684	12	5		
3	EMERGE	SX546	Conv.	101		6	1110	17.4	56.5	4520.0				205.2	659	17	12		
4	BECKS	5113	Conv.	101		6	1110	18.6	56.6	5010.0				224.1	709	1	1		
5	HEINE	730	Conv.	102		6	1110	19.2	55.7	4756.0				211.2	664	13	8		
6	HEINE	736	Conv.	102		6	1110	20.3	57.5	4936.0				216.2	671	8	7		
7	SPECTRUM	S5285	Conv.	102		6	1110	18.9	54.4	4500.0				200.6	633	19	19		
8	HEINE	737	Conv.	103		6	1110	20.2	54.3	4790.0				210.1	652	14	15		
9	WYFFLES	W4790	Conv.	104		6	1110	17.8	57.4	4540.0				205.1	655	18	13		
10	SPECTRUM	S5452	Conv.	104		6	1110	20.5	56.3	5018.0				219.3	678	6	6		
11	HEINE	741	Conv.	104		6	1110	20.3	54.3	5060.0				221.7	687	4	4		
12CK	BECKS CHECK	5140	Conv.	105		6	1110	19.9	55.1	4960.0		218	680						
13	BECKS	5140	Conv.	105		6	1110	19.6	56.7	5040.0				222.7	697	2	2		
14	PFISTER	65B1CV	Conv.	105		6	1110	18.9	58.4	4614.0				205.7	649	16	16		
15	HEINE	755	Conv.	105		6	1110	19.9	54.8	4700.0				206.9	645	15	17		
16	SPECTRUM	S5654	Conv.	106		6	1110	21.2	52.6	4970.0				215.3	660	11	10		
17	HEINE	775	Conv.	107		6	1110	23.9	53.1	5156.0				215.7	640	9	18		
18	SPECTRUM	S5859	Conv.	108		6	1110	19.3	56.2	4958.0				219.9	690	5	3		
19	PFISTER	68A1CV	Conv.	108		6	1110	21.3	54.7	4980.0				215.4	660	10	11		
20	HEINE	808	Conv.	108		6	1110	24.5	52.8	5352.0				222.1	654	3	14		
21	SPECTRUM	S5967	Conv.	109		6	1110	21.3	56.2	5000.0				216.3	663	7	9		
22CK	BECKS CHECK	5140	Conv.	105		6	1110	19.4	59.0	5160.0		228.6	717						
TEST AVERAGE:				104		6		20.0	55.8	4882				214.0	\$666				